



# KOPPREL

## 30 SL

7,6% COPPER  
Foliar Application



SHAKE WELL BEFORE USE

Net **20**  
CONTENT litres

BUILDING A NEW AGRICULTURE

# KOPPREL 30 SL

**KOPPREL 30 SL** is formulated with specific designed to maximise uptake and mobility of copper in its formulation

**KOPPREL 30 SL** is designed to penetrate the cuticle waxes of the plant. Kopprell 30SL can also be applied via irrigation.

## GUARANTEED ANALYSIS

Element	% w/v
Copper (Cu)	7.6

## CAUTIONS

- Shake the bottle before opening.
- Do not apply during the hottest hours of the day.
- Exclusively agricultural use as fertilizer for plants.
- Store in places out of reach of children or animals.
- Store in a cool place and protected from sunlight.
- Respect maximum height of stowage.
- Do not apply with fenvalerate, chlorpyrifos, parathion or dichloran, phosphites.

**KOPPREL 30 SL** is compatible with most phytosanitary and foliar fertilizers, however it is recommended to perform chemical compatibility tests before use.

## EXPIRY

Best before 3 years from manufacture date



Manufactured by: **BIOGROW BIOCHEMICAL SPA.**  
Address: Volcán Licancabur # 841, Pudahuel, Chile  
Phone: 02-23078985

Imported by: **BIOGROW AUSTRALIA**  
Level 3, 2 Brandon park drive - Wheelers Hill Victoria  
3150 - Australia  
Phone: +61 3 9566 7252 Fax: +61 3 9566 7299

sales@biogrow.com.au

## APPLICATION COMMENTS

Crop	Concentration ml/ 100 L	Dose L/ha	Application
Grape	150 - 200	2.0	From budding to flower.
		1.0 - 1.5	Apply from bunch closure to harvest.
Mangoes, Avocado and Citrus fruits	150 - 200	2.0	Apply from the beginning of budding and during the fruit growth
Banana	200	1.5 - 2.0	Apply during fruit growth
Coffee	200	1.5 - 2.0	Apply during vegetative growth and fruit
Paprika, Peppers, and Tomato	150 - 200	1.0 - 1.5	Apply for 15 days after transplant until harvest.
Pumpkin, Melon, Watermelon	150 - 200	1.0 - 1.5	Apply 15 days after sowing or transplant to the neck of the plant.
Artichoke	150 - 200	1.0 - 1.5	Apply after transplantation and during vegetative growth
Potato	150 - 200	1.0 - 1.5	Apply during vegetative growth
Rice	150 - 200	1.0 - 1.5	Apply to tillering

## WARNING

The company guarantees the composition, formulation and content of the product. The user is responsible for the use and application of the product, according to the indications for use set out in this label.



BIOGROW is a registered trademark of BIOGROW Corporation SA.  
KOPPREL is a registered trademark of BIOGROW Corporation SA.  
[www.biogrowcompany.com.australia](http://www.biogrowcompany.com.australia)